



## Reliable rotating laser with semi-automatic tilt control

Product number: 27114000



## **Topfeatures**

- Simple and intuitive lighting as standard
- Ideal for concrete and formwork work
- Laser class 1
- Can be tilted up to ± 8 % in 2 axes
- Digital display of the inclination

# All special features at a glance

- The GeoMax Zone Series rotating lasers are robust (IP67), versatile (900 metre working range) and offer exceptional value for money.
- The Zone60 HG is a horizontal laser with digital slope up to 8 % and convincing accuracy.
- The display makes it very easy to adjust inclinations in two axes.
- Best application area: outdoor.

### **Description**

The Zone60 HG is a semi-automatic grade laser and impresses with its user-friendly and flexible application. Its semi-automatic grade control in levelling applications makes it the ideal partner for concrete laying and forming. The Zone60 HG allows a slope of up to 8 percent on both axes and convinces with high accuracy. With the included ZRD105 professional laser receiver, you can supplement the performance and increase the range and precision.

## **Technical Details**

Working area with receiver	Ø 900 m
Operating time	> 40 Hours
Weight	3300 g
Laser diode	visible 635 nm (red), class 1
Dimensions	240 x 215 x 215 mm
Protection class	IP67
Self-levelling range	± 6°
Power supply	4 alkaline mono cells (D), lithium-ion (Li-ion pack rechargeable)
Temperature range	-20 °C to +50 °C
Tolerance	± 0.5 mm per 10 m

#### Scope of supply

GeoMax Zone60 HG, Receiver ZRD105, Transport case, Li-Ion battery with charger, Manual on CD, Quick start guide, Safety instructions